

## MoorePower™ Tower

Model No: 27735

### OVERVIEW

The MoorePower™ Tower provides instant and convenient AC outlet and USB charging access to multiple users in group seating arrangements.

### TOWER


The tower is made of 14 Ga powder coated steel and consists of a base, top, and square tube stem. The tower has a removable plate on one side of the stem to access the reset switch housed within. This plate is attached with one M4 x 5mm phillips head screw at the top. The bottom plate of the tower is attached to the base with four M4 x 6mm phillips-head screws. Four 7" long, 1/4" steel legs are fixed to the bottom plate with two M6 x 18mm low profile socket head screws each. Four 60mm dual-wheel casters (two locking) are attached to the legs using M10 x 20mm stems to raise tower base 2" off ground. A 5mm thick, square neoprene pad is attached on the flat top surface and can be used for resting devices while charging.

### CHARGING

Tower includes a 3/8" thick 13.5' long power cable with two welded on 10Ga steel hooks for coiling. Cable runs to tower through 15mm hole in base with a circular plastic insert to prevent wear on cable. The tower has two AC outlets and two USB-A ports on each of four sides that can provide charging for multiple Chromebooks, smart phones, iPads, and other mobile computing devices simultaneously. USB-A ports provide 5V, 2.1a max charging. Specific amperage and voltage will vary by device.

### COMPLIANCE

UL listed components provide overcharge and overcurrent protection.




### BODY COLOR:




Platinum


**FRONT**




**SIDE**



**TOP**



**BOTTOM**



**DIMENSIONS**

Base Model No.	Description	Dimensions
27735	MoorePower Tower	39.7"H x 15.1"W x 15.1"D